

# Arktis Laser Product Datasheet

## Horizon Series Horizon Series Self-Levelling Alignment Laser

Laserglow Technologies™  
**H O R I Z O N**

### Arktis Laser Part Number: BALR5XXX

#### Similar Products:

For information about the other lasers in this product family visit:

<http://www.arktislaser.com/BALBAL>

#### Ordering:

Order Online Now or Request Quote:

<http://www.laserglow.com/BALR5XXX>



#### Overview:

The Horizon Red Standard 5 Line Laser - BALR5 is an accurate, self levelling instrument which generates bright, visible red (thin) lines. There is one horizontal line, 4 vertical lines which create an overhead cross and a downward pointing dot displaying plumb. The horizontal & vertical lines can be switched ON/Off independently or all used together. This model is ideal for indoor use and can also be used outdoors with the included receiver.

#### Key Features:

- **Starting at: \$299**
- **Output Color:** Red
- **Expected Life:** 10000 hours
- **Projection Type:** 4 Vertical, 1 Horizontal, 1 plumb dot - 4V1H1D
- **Key Feature:** Projects red self-levelling lines for high precision applications.
- **Minimum achievable line thickness:** 0.25 mm at 30 cm
- **Package Includes:** Self-levelling laser with carrying case, wall-mount, magnetic ceiling target and receiver.

#### How It Works:

- The Multi-Line Horizon Series BALR5 is a multi-featured Cross Line Laser suitable for both Indoor & Outdoor use.
- To enable it to operate Outdoors, the pulsed output setting and included laser receiver allow good visibility.
- The BALR5 has an accurate, pendulum system for quick self-levelling.
- When not in self-level range, the BALR5 indicates by flashing the laser beams On & Off. Once within level range, the unit will stop flashing.
- The Laser has one horizontal & 4 vertical lines with one downward plumb dot, where the 4 vertical lines cross above.
- With a smooth horizontal rotating mechanism and fine adjustment knob for convenience, the base enables you to set vertical line positions with ease.
- The Receiver is essential for outdoor use, but it can also be used indoors in bright conditions or where long range is required.

#### Common Applications:

Carpentry, Electrical sockets, switches & lighting, Suspended Ceiling Construction, Foundations leveling, Kitchens and Bedroom fittings, Machinery installation, Painting & Decorating, Partitioning, Shelving, Shopfitting, Stud walls, Tiling, and Bi-fold Doors installation.

## Specifications:

This spec sheet has been generated specifically for part number BALR5XXXX, per your request, and data for the entire series is also displayed for your reference. The specs which are specific to BALR5XXXX have been highlighted below in **red + bold**.

Number of Vertical Lines			4	1	<b>4</b>	4
Number of Horizontal Lines	1	1	4	1	<b>1</b>	4
Accuracy	+/- 1.0mm / 10M	+/- 1.0mm / 10M	+/- 1.0mm / 10M	+/- 1.0mm / 5M	<b>+/- 1.0mm / 5M</b>	+/- 1.0mm / 10M
Projection Angle ( )	360 degree scan (horizontal or vertical)	360 degree scan (horizontal or vertical)		Horizontal >100 Vertical >120	<b>Horizontal &gt;100 Vertical &gt;120</b>	
Self-leveling range ( )	+/- 5	+/- 5	+/- 3.5	+/- 3	<b>+/- 3</b>	+/- 3.5
Plumb Dot	Yes	Yes	Yes		<b>Yes</b>	Yes
Overhead Dot	Yes	Yes				
Receiver Compatible	Yes	Yes			<b>Yes</b>	
Water Resistant	Yes	Yes				
Carrying Case Included	Yes	Yes	Yes	Yes	<b>Yes</b>	Yes
Can Run on AC Power	Yes	Yes	Yes			Yes
Tripod/Bracket Thread	5/8"-11	5/8"-11	5/8"-11	5/8"-11	<b>5/8"-11</b>	5/8"-11
Output Power (mW)	<5	<5	>10	>10	<b>&gt;10</b>	>10
IEC Safety Class	3R	3R	2M	2M	<b>2M</b>	2M
Standard Warranty (months)	6	6	6	6	<b>6</b>	6
MTTF (operational hours)	10000	10000	10000	10000	<b>10000</b>	10000
Power Source	4x C batteries	4x C batteries		2x AA batteries	<b>4x AA batteries</b>	4x AA batteries
Battery Life	12 hours	12 hours	24 hours	12 hours	<b>12 hours</b>	12 hours
Weight of Product or Laser Head (kg)	2	2	1.61	0.45	<b>0.95</b>	1.61
Dimensions of Product or Laser Head (mm)	160 (l) x 160 (w) x 185 (h)	160 (l) x 160 (w) x 185 (h)	160 (l) x 140 (w) x 220 (h)	92 (l) x 92 (w) x 130 (h)	<b>116 (l) x 124 (w) x 170 (h)</b>	160 (l) x 140 (w) x 220 (h)
Power Supply	4 x AA batteries, 4 x C Batteries, 7.4 V 3100 mAh Li-ion Battery Pack	4 x AA batteries, 4 x C Batteries, 7.4 V 3100 mAh Li-ion Battery Pack	4 x AA batteries, 4 x C Batteries, 7.4 V 3100 mAh Li-ion Battery Pack	4 x AA batteries, 4 x C Batteries, 7.4 V 3100 mAh Li-ion Battery Pack	<b>4 x AA batteries, 4 x C Batteries, 7.4 V 3100 mAh Li-ion Battery Pack</b>	4 x AA batteries, 4 x C Batteries, 7.4 V 3100 mAh Li-ion Battery Pack

### Power Supply Options:

The Horizon series of self-levelling alignment lasers are battery-operated. The BALR2 requires two alkaline or Ni-MH AA batteries. The BALR5 requires four alkaline or Ni-MH AA batteries. The BALG5 includes a rechargeable 4000 mAh lithium-ion battery pack, which is recharged via an included microUSB cable and wall adaptor. The BALG5 can also run on four alkaline or Ni-MH AA batteries.





### Regulatory Classification:

The model you have selected (BALR5XXXX) requires the following safety label(s):



**Accessories:**

The most popular accessories for model BALR5XXXX are shown below. For additional details regarding these or other accessories please see our website or contact us directly.

Part Number	Description	
 ATP006XXX	1.2 Meter Elevator Tripod 5/8-11 Thread For Horizon Laser Levels Full Details: <a href="http://www.arktislaser.com/ATP">www.arktislaser.com/ATP</a>	
 BAMLR0XXX	Red Line Receiver for 5 Line Laser Levels Full Details: <a href="http://www.arktislaser.com/BAM">www.arktislaser.com/BAM</a>	Included With Laser
 ARLMSXXXX	Magnetic Support for Laser Levels Full Details: <a href="http://www.arktislaser.com/ARL">www.arktislaser.com/ARL</a>	Included With Laser
 ARLMCTXXX	Magnetic Ceiling Target for Laser Levels Full Details: <a href="http://www.arktislaser.com/ARL">www.arktislaser.com/ARL</a>	Included With Laser

**FOR MORE INFORMATION PLEASE CONTACT:**

Arktis Laser  
112 Elizabeth St, Unit 5-331, Toronto, ON, Canada M5G 1P5  
Tel. (416) 886-1178 Fax (647) 874-7129  
[sales@arktislaser.com](mailto:sales@arktislaser.com) [www.arktislaser.com](http://www.arktislaser.com)

E&OE: Data included in this sheet may be subject to change without notice.

Please confirm critical specifications with our staff prior to ordering.